

# Nutritional Assessment Questionnaire 1.5

Name: \_\_\_\_\_

Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

Birth Date: \_\_\_\_\_

Gender: \_\_\_\_\_

Please list your five major health concerns in order of importance:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

Notes:

## PART I Read the following questions and circle the number that applies:

**KEY:** 0 = Do not consume or use  
1 = Consume or use 2 to 3 times monthly  
2 = Consume or use weekly  
3 = Consume or use daily

### DIET

58

- |   |                                  |   |
|---|----------------------------------|---|
| 1. 0 1 2 3 Alcohol                        | 7. 0 1 2 3 Cigars/pipes          | 14. 0 1 Radiation exposure (0=no, 1=yes)  |
| 2. 0 1 2 3 Artificial sweeteners          | 8. 0 1 2 3 Caffeinated beverages | 15. 0 1 2 3 Refined flour/baked goods     |
| 3. 0 1 2 3 Candy, desserts, refined sugar | 9. 0 1 2 3 Fast foods            | 16. 0 1 2 3 Vitamins and minerals         |
| 4. 0 1 2 3 Carbonated beverages           | 10. 0 1 2 3 Fried foods          | 17. 0 1 2 3 Water, distilled              |
| 5. 0 1 2 3 Chewing tobacco                | 11. 0 1 2 3 Luncheon meats       | 18. 0 1 2 3 Water, tap                    |
| 6. 0 1 2 3 Cigarettes                     | 12. 0 1 2 3 Margarine            | 19. 0 1 2 3 Water, well                   |
|   | 13. 0 1 2 3 Milk products        | 20. 0 1 2 3 Diet often for weight control |

### LIFESTYLE

12

21. 0 1 2 3 Exercise per week (0 = 2 or more times a week, 1 = 1 time a week, 2 = 1 or 2 times a month, 3 = never, less than once a month)
22. 0 1 2 3 Changed jobs (0 = over 12 months ago, 1 = within last 12 months, 2 = within last 6 months, 3 = within last 2 months)
23. 0 1 2 3 Divorced (0 = never, over 2 years ago, 1 = within last 2 years, 2 = within last year, 3 = within last 6 months)
24. 0 1 2 3 Work over 60 hours/week (0 = never, 1 = occasionally, 2 = usually, 3 = always)

### MEDICATIONS Indicate any medications you're currently taking or have taken in the last month (0=no, 1=yes):

54

- |  |   |
|--|---|
| 25. 0 1 Antacids                                   | 39. 0 1 Diuretics   |
| 26. 0 1 Antianxiety medications                    | 40. 0 1 Estrogen or progesterone (pharmaceutical, prescription) |
| 27. 0 1 Antibiotics                                | 41. 0 1 Estrogen or progesterone (natural)                      |
| 28. 0 1 Anticonvulsants                            | 42. 0 1 Heart medications                                       |
| 29. 0 1 Antidepressants                            | 43. 0 1 High blood pressure medications                         |
| 30. 0 1 Antifungals                                | 44. 0 1 Laxatives   |
| 31. 0 1 Aspirin/Ibuprofen                          | 45. 0 1 Recreational drugs                                      |
| 32. 0 1 Asthma inhalers                            | 46. 0 1 Relaxants/Sleeping pills                                |
| 33. 0 1 Beta blockers                              | 47. 0 1 Testosterone (natural or prescription)                  |
| 34. 0 1 Birth control pills/implant contraceptives | 48. 0 1 Thyroid medication                                      |
| 35. 0 1 Chemotherapy                               | 49. 0 1 Acetaminophen (Tylenol)                                 |
| 36. 0 1 Cholesterol lowering medications           | 50. 0 1 Ulcer medications                                       |
| 37. 0 1 Cortisone/steroids                         | 51. 0 1 Sildenafil citrate (Viagra)                             |
| 38. 0 1 Diabetic medications/insulin               |   |

## PART II (See key at bottom of page)

### Section 1 – Upper Gastrointestinal System

55

- |   |  |
|---|--|
| 52. 0 1 2 3 Belching or gas within one hour after eating        | 61. 0 1 2 3 Feel like skipping breakfast           |
| 53. 0 1 2 3 Heartburn or acid reflux                            | 62. 0 1 2 3 Feel better if you don't eat           |
| 54. 0 1 2 3 Bloating within one hour after eating               | 63. 0 1 2 3 Sleepy after meals                     |
| 55. 0 1 Vegan diet (no dairy, meat, fish or eggs) (0=no, 1=yes) | 64. 0 1 2 3 Fingernails chip, peel or break easily |
| 56. 0 1 2 3 Bad breath (halitosis)                              | 65. 0 1 2 3 Anemia unresponsive to iron            |
| 57. 0 1 2 3 Loss of taste for meat                              | 66. 0 1 2 3 Stomach pains or cramps                |
| 58. 0 1 2 3 Sweat has a strong odor                             | 67. 0 1 2 3 Diarrhea, chronic                      |
| 59. 0 1 2 3 Stomach upset by taking vitamins                    | 68. 0 1 2 3 Diarrhea shortly after meals           |
| 60. 0 1 2 3 Sense of excess fullness after meals                | 69. 0 1 2 3 Black or tarry colored stools          |
|   | 70. 0 1 2 3 Undigested food in stool               |

KEY: 0=No, symptom does not occur  
1=Yes, minor or mild symptom, rarely occurs (monthly)  
2=Moderate symptom, occurs occasionally (weekly)  
3=Severe symptom, occurs frequently (daily)

**Section 2 – Liver and Gallbladder**

68

- 71. 0 1 2 3 Pain between shoulder blades
- 72. 0 1 2 3 Stomach upset by greasy foods
- 73. 0 1 2 3 Greasy or shiny stools
- 74. 0 1 2 3 Nausea
- 75. 0 1 2 3 Sea, car, airplane or motion sickness
- 76. 0 1 History of morning sickness (0 = no, 1 = yes)
- 77. 0 1 2 3 Light or clay colored stools
- 78. 0 1 2 3 Dry skin, itchy feet or skin peels on feet
- 79. 0 1 2 3 Headache over eyes
- 80. 0 1 2 3 Gallbladder attacks (0=never, 1=years ago, 2=within last year, 3=within past 3 months)
- 81. 0 1 Gallbladder removed (0=no, 1=yes)
- 82. 0 1 2 3 Bitter taste in mouth, especially after meals
- 83. 0 1 Become sick if you were to drink wine (0=no, 1=yes)
- 84. 0 1 Easily intoxicated if you were to drink wine (0=no, 1=yes)
- 85. 0 1 Easily hung over if you were to drink wine (0=no, 1=yes)
- 86. 0 1 2 3 Alcohol per week (0=<3, 1=<7, 2 =<14, 3=>14)
- 87. 0 1 Recovering alcoholic (0=no, 1=yes)
- 88. 0 1 History of drug or alcohol abuse (0=no, 1=yes)
- 89. 0 1 History of hepatitis (0=no, 1=yes)
- 90. 0 1 Long term use of prescription/recreational drugs (0=no, 1=yes)
- 91. 0 1 2 3 Sensitive to chemicals (perfume, cleaning agents, etc.)
- 92. 0 1 2 3 Sensitive to tobacco smoke
- 93. 0 1 2 3 Exposure to diesel fumes
- 94. 0 1 2 3 Pain under right side of rib cage
- 95. 0 1 2 3 Hemorrhoids or varicose veins
- 96. 0 1 2 3 Nutrasweet (aspartame) consumption
- 97. 0 1 2 3 Sensitive to Nutrasweet (aspartame)
- 98. 0 1 2 3 Chronic fatigue or Fibromyalgia

**Section 3 – Small Intestine**

47

- 99. 0 1 2 3 Food allergies
- 100. 0 1 2 3 Abdominal bloating 1 to 2 hours after eating
- 101. 0 1 Specific foods make you tired or bloated (0=no, 1=yes)
- 102. 0 1 2 3 Pulse speeds after eating
- 103. 0 1 2 3 Airborne allergies
- 104. 0 1 2 3 Experience hives
- 105. 0 1 2 3 Sinus congestion, "stuffy head"
- 106. 0 1 2 3 Crave bread or noodles
- 107. 0 1 2 3 Alternating constipation and diarrhea
- 108. 0 1 2 3 Crohn's disease (0 =no, 1=yes in the past, 2=current mild condition, 3=severe)
- 109. 0 1 2 3 Wheat or grain sensitivity
- 110. 0 1 2 3 Dairy sensitivity
- 111. 0 1 Are there foods you could not give up (0=no, 1=yes)
- 112. 0 1 2 3 Asthma, sinus infections, stuffy nose
- 113. 0 1 2 3 Bizarre vivid dreams, nightmares
- 114. 0 1 2 3 Use over-the-counter pain medications
- 115. 0 1 2 3 Feel spacey or unreal

**Section 4 – Large Intestine**

58

- 116. 0 1 2 3 Anus itches
- 117. 0 1 2 3 Coated tongue
- 118. 0 1 2 3 Feel worse in moldy or musty place
- 119. 0 1 2 3 Taken antibiotic for a total accumulated time of (0=never, 1= <1 month, 2= <3 months, 3= >3 months)
- 120. 0 1 2 3 Fungus or yeast infections
- 121. 0 1 2 3 Ring worm, "jock itch", "athletes foot", nail fungus
- 122. 0 1 2 3 Yeast symptoms increase with sugar, starch or alcohol
- 123. 0 1 2 3 Stools hard or difficult to pass
- 124. 0 1 History of parasites (0=no, 1=yes)
- 125. 0 1 2 3 Less than one bowel movement per day
- 126. 0 1 2 3 Stools have corners or edges, are flat or ribbon shaped
- 127. 0 1 2 3 Stools are not well formed (loose)
- 128. 0 1 2 3 Irritable bowel or mucus colitis
- 129. 0 1 2 3 Blood in stool
- 130. 0 1 2 3 Mucus in stool
- 131. 0 1 2 3 Excessive foul smelling lower bowel gas
- 132. 0 1 2 3 Bad breath or strong body odors
- 133. 0 1 2 3 Painful to press along outer sides of thighs (Iliotibial Band)
- 134. 0 1 2 3 Cramping in lower abdominal region
- 135. 0 1 2 3 Dark circles under eyes

**Section 5 – Mineral Needs**

75

- 136. 0 1 History of carpal tunnel syndrome (0=no, 1=yes)
- 137. 0 1 History of lower right abdominal pains or ileocecal valve problems (0=no, 1=yes)
- 138. 0 1 History of stress fracture (0=no, 1=yes)
- 139. 0 1 2 3 Bone loss (reduced density on bone scan)
- 140. 0 1 Are you shorter than you used to be? (0=no, 1=yes)
- 141. 0 1 2 3 Calf, foot or toe cramps at rest
- 142. 0 1 2 3 Cold sores, fever blisters or herpes lesions
- 143. 0 1 2 3 Frequent fevers
- 144. 0 1 2 3 Frequent skin rashes and/or hives
- 145. 0 1 Herniated disc (0=no, 1=yes)
- 146. 0 1 2 3 Excessively flexible joints, "double jointed"
- 147. 0 1 2 3 Joints pop or click
- 148. 0 1 2 3 Pain or swelling in joints
- 149. 0 1 2 3 Bursitis or tendonitis
- 150. 0 1 History of bone spurs (0=no, 1=yes)
- 151. 0 1 2 3 Morning stiffness
- 152. 0 1 2 3 Nausea with vomiting
- 153. 0 1 2 3 Crave chocolate
- 154. 0 1 2 3 Feet have a strong odor
- 155. 0 1 2 3 History of anemia
- 156. 0 1 2 3 Whites of eyes (sclera) blue tinted
- 157. 0 1 2 3 Hoarseness
- 158. 0 1 2 3 Difficulty swallowing
- 159. 0 1 2 3 Lump in throat
- 160. 0 1 2 3 Dry mouth, eyes and/or nose
- 161. 0 1 2 3 Gag easily
- 162. 0 1 2 3 White spots on fingernails
- 163. 0 1 2 3 Cuts heal slowly and/or scar easily
- 164. 0 1 2 3 Decreased sense of taste or smell

KEY: 0=No, symptom does not occur	2=Moderate symptom, occurs occasionally (weekly)
1=Yes, minor or mild symptom, rarely occurs (monthly)	3=Severe symptom, occurs frequently (daily)

**Section 6 – Essential Fatty Acids**

22

165. 0 1 Experience pain relief with aspirin (0=no, 1=yes)  
 166. 0 1 2 3 Crave fatty or greasy foods  
 167. 0 1 2 3 Low- or reduced-fat diet (0=never, 1=years ago, 2=within past year, 3=current)  
 168. 0 1 2 3 Tension headaches at base of skull  
 169. 0 1 2 3 Headaches when out in the hot sun  
 170. 0 1 2 3 Sunburn easily or suffer sun poisoning  
 171. 0 1 2 3 Muscles easily fatigued  
 172. 0 1 2 3 Dry flaky skin or dandruff

**Section 7 – Sugar Handling**

39

173. 0 1 2 3 Awaken a few hours after falling asleep, hard to get back to sleep  
 174. 0 1 2 3 Crave sweets  
 175. 0 1 2 3 Binge or uncontrolled eating  
 176. 0 1 2 3 Excessive appetite  
 177. 0 1 2 3 Crave coffee or sugar in the afternoon  
 178. 0 1 2 3 Sleepy in afternoon  
 179. 0 1 2 3 Fatigue that is relieved by eating  
 180. 0 1 2 3 Headache if meals are skipped or delayed  
 181. 0 1 2 3 Irritable before meals  
 182. 0 1 2 3 Shaky if meals delayed  
 183. 0 1 2 3 Family members with diabetes (0=none, 1=1 or 2, 2=3 or 4, 3=more than 4)  
 184. 0 1 2 3 Frequent thirst  
 185. 0 1 2 3 Frequent urination

**Section 8 – Vitamin Need**

81

186. 0 1 2 3 Muscles become easily fatigued  
 187. 0 1 2 3 Feel exhausted or sore after moderate exercise  
 188. 0 1 2 3 Vulnerable to insect bites  
 189. 0 1 2 3 Loss of muscle tone, heaviness in arms/legs  
 190. 0 1 2 3 Enlarged heart or congestive heart failure  
 191. 0 1 2 3 Pulse below 65 per minute (0=no, 1=yes)  
 192. 0 1 2 3 Ringing in the ears (Tinnitus)  
 193. 0 1 2 3 Numbness, tingling or itching in hands and feet  
 194. 0 1 2 3 Depressed  
 195. 0 1 2 3 Fear of impending doom  
 196. 0 1 2 3 Worrier, apprehensive, anxious  
 197. 0 1 2 3 Nervous or agitated  
 198. 0 1 2 3 Feelings of insecurity  
 199. 0 1 2 3 Heart races  
 200. 0 1 2 3 Can hear heart beat on pillow at night  
 201. 0 1 2 3 Whole body or limb jerk as falling asleep  
 202. 0 1 2 3 Night sweats  
 203. 0 1 2 3 Restless leg syndrome  
 204. 0 1 2 3 Cracks at corner of mouth (Cheilosis)  
 205. 0 1 2 3 Fragile skin, easily chaffed, as in shaving  
 206. 0 1 2 3 Polyps or warts  
 207. 0 1 2 3 MSG sensitivity  
 208. 0 1 2 3 Wake up without remembering dreams  
 209. 0 1 2 3 Small bumps on back of arms  
 210. 0 1 2 3 Strong light at night irritates eyes  
 211. 0 1 2 3 Nose bleeds and/or tend to bruise easily  
 212. 0 1 2 3 Bleeding gums especially when brushing teeth

**Section 9 – Adrenal**

78

213. 0 1 2 3 Tend to be a "night person"  
 214. 0 1 2 3 Difficulty falling asleep  
 215. 0 1 2 3 Slow starter in the morning  
 216. 0 1 2 3 Tend to be keyed up, trouble calming down  
 217. 0 1 2 3 Blood pressure above 120/80  
 218. 0 1 2 3 Headache after exercising  
 219. 0 1 2 3 Feeling wired or jittery after drinking coffee  
 220. 0 1 2 3 Clench or grind teeth  
 221. 0 1 2 3 Calm on the outside, troubled on the inside  
 222. 0 1 2 3 Chronic low back pain, worse with fatigue  
 223. 0 1 2 3 Become dizzy when standing up suddenly  
 224. 0 1 2 3 Difficulty maintaining manipulative correction  
 225. 0 1 2 3 Pain after manipulative correction  
 226. 0 1 2 3 Arthritic tendencies  
 227. 0 1 2 3 Crave salty foods  
 228. 0 1 2 3 Salt foods before tasting  
 229. 0 1 2 3 Perspire easily  
 230. 0 1 2 3 Chronic fatigue, or get drowsy often  
 231. 0 1 2 3 Afternoon yawning  
 232. 0 1 2 3 Afternoon headache  
 233. 0 1 2 3 Asthma, wheezing or difficulty breathing  
 234. 0 1 2 3 Pain on the medial or inner side of the knee  
 235. 0 1 2 3 Tendency to sprain ankles or "shin splints"  
 236. 0 1 2 3 Tendency to need sunglasses  
 237. 0 1 2 3 Allergies and/or hives  
 238. 0 1 2 3 Weakness, dizziness

**Section 10 – Pituitary**

29

239. 0 1 Height over 6' 6" (0=no, 1=yes)  
 240. 0 1 Early sexual development (before age 10) (0=no, 1=yes)  
 241. 0 1 2 3 Increased libido  
 242. 0 1 2 3 Splitting type headache  
 243. 0 1 2 3 Memory failing  
 244. 0 1 Tolerate sugar, feel fine when eating sugar (0=no, 1=yes)  
 245. 0 1 Height under 4' 10" (0=no, 1=yes)  
 246. 0 1 2 3 Decreased libido  
 247. 0 1 2 3 Excessive thirst  
 248. 0 1 2 3 Weight gain around hips or waist  
 249. 0 1 2 3 Menstrual disorders  
 250. 0 1 Delayed sexual development (after age 13) (0=no, 1=yes)  
 251. 0 1 2 3 Tendency to ulcers or colitis

KEY: 0=No, symptom does not occur  
 1=Yes, minor or mild symptom, rarely occurs (monthly)  
 2=Moderate symptom, occurs occasionally (weekly)  
 3=Severe symptom, occurs frequently (daily)

